

SAFETY DATA SHEET PRISTINE ANTIVIRAL HAND SOAP

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of th	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	PRISTINE ANTIVIRAL HAND SOAP
Product number	800-288-0022
Internal identification	PR3114
Container size	500mL
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Hand cleaner.
Uses advised against	Not for Oral Consumption.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Bunzl UK Ltd PrimeSource York House, 45 Seymour Street, London, W1H 7JT, UK Tel: +44 (0) 8085 749 312 Bunzl Ireland Ltd PrimeSource Unit D9, Horizon Logistics Park, Swords, Co. Dublin K67 N4T2 Ireland Tel: +353 (0) 1 630 1800 info@prime-source.co.uk Economic Tel: - 00005 740042
Contact person	For content of safety data sheet:, info@prime-source.co.uk or TEL: – 08085 749312
1.4. Emergency telephone nun	
Emergency telephone	Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24
Irish NPIC number	+353 (1) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
SECTION 2: Hazards identification	
2.1. Classification of the substa	ance or mixture
Classification (EC 1272/2008) Physical hazards	Not Classified

Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified
Biocide Labelling	Contains active substance: L-(+)-lactic acid, 0.8g/100g, Contains active substance: 2- Phenoxyethanol, 0.1g/100g

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
CITRIC ACID ANHYDROUS			1-5%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01- 2119457026-42-XXXX	
Classification Eye Irrit. 2 - H319			
C12-14-ALKYL ETHER SULFATES			1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-XXXX	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
MONOPROPYLENE GLYCOL			1-5%
CAS number: 57-55-6	REACH registration number: 01-		
	2119456809-23-XXXX		
Classification Not Classified	Classification (67 -	7/548/EEC or 1999/45/EC)	
LACTIC ACID			<1%
CAS number: 79-33-4	EC number: 201-196-2		
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			

2-PHENOXYETHANOL		<1%
CAS number: 122-99-6	EC number: 204-589-7	REACH registration number: 01- 2119488943-21-XXXX
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319	Classificatic Xn;R22 Xi;F	on (67/548/EEC or 1999/45/EC) R36
The Full Text for all R-Phrases	and Hazard Statements are Displayed in Se	ction 16.
SECTION 4: First aid measure	S	
4.1. Description of first aid mea	asures	
Ingestion	Never give anything by mouth to an uncons mouth thoroughly with water. Get medical a	cious person. Do not induce vomiting. Rinse ttention if any discomfort continues.
Eye contact		nove any contact lenses and open eyelids wide tes. Get medical attention if irritation persists after e medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed	
Skin contact	Prolonged contact may cause redness, irrita	ation and dry skin.
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immediat	e medical attention and special treatment ne	eded
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	ures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extin Foam, carbon dioxide or dry powder.	guishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion prod of carbon. Toxic gases or vapours.	ucts may include the following substances: Oxides
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and kee	ping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breat clothing.	thing apparatus (SCBA) and appropriate protective
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedure	S
Personal precautions	For personal protection, see Section 8. In ca surfaces.	ase of spills, beware of slippery floors and
6.2. Environmental precautions	3	

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	<u>S</u>
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
SECTION 7: Handling and stor	age
7.1. Precautions for safe handli	ng
Usage precautions	Avoid contact with skin and eyes. Avoid spilling.
Advice on general occupational hygiene	No specific requirements are anticipated under normal conditions of use.
7.2. Conditions for safe storage	, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls	/Personal protection
	ur TWA): WEL 10 mg/m³ particulate ur TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates nit.
	CITRIC ACID ANHYDROUS (CAS: 77-92-9)
DNEL	Available hazard data do not support the need for a DNEL to be established for other health effects.
PNEC	 Fresh water; 0.44 mg/l marine water; 0.044 mg/l STP; >1000 mg/l Sediment (Freshwater); 34.6 mg/kg Sediment (Marinewater); 3.46 mg/kg Soil; 33.1
DNEL	C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3) Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day

Odour threshold

PRISTINE ANTIVIRAL HAND SOAP

PNEC	 Fresh water; 0.24 mg/l marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment, Fresh water; 0.917 mg/kg Sediment, marine water; 0.092 mg/kg Soil; 7.5 mg/kg STP; 10,000 mg/l MONOPROPYLENE GLYCOL (CAS: 57-55-6)
DNEL	Workers - Inhalation; Long term systemic effects: 168 mg/m ³ Workers - Inhalation; Long term local effects: 10 mg/m ³ General population - Inhalation; Long term systemic effects: 50 mg/m ³ General population - Inhalation; Long term local effects: 10 mg/m ³
PNEC	 Fresh water; 260 mg/l Intermittent release; 183 mg/l marine water; 26 mg/l STP; 20000 mg/l Sediment (Freshwater); 572 mg/kg Sediment (Marinewater); 57.2 mg/kg Soil; 50 mg/kg
	LACTIC ACID (CAS: 79-33-4)
DNEL	Industry - Inhalation; Short term : 592 mg/m³ Consumer - Oral; : 35.4 mg/kg/day
PNEC	- Fresh water; 1.3 mg/l
8.2. Exposure controls	
Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use.
Hand protection	Hand protection not required.
Other skin and body protection	No specific requirements are anticipated under normal conditions of use.
Hygiene measures	No specific measures identified.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.
SECTION 9: Physical and chemical properties	
9.1. Information on basic phys	sical and chemical properties
Appearance	Liquid.
Colour	White.
Odour	Unperfumed.

pН pH (concentrated solution): 2-3

Not determined.

	Natarrianda
Vapour pressure	Not applicable.
Vapour density	Not determined.
Relative density	1.01-1.03
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	950-1500 cP @ 20°C
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and rea	nctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
	There are no known reactivity hazards associated with this product.
Reactivity	There are no known reactivity hazards associated with this product. Stable at normal ambient temperatures.
Reactivity 10.2. Chemical stability	Stable at normal ambient temperatures.
Reactivity 10.2. Chemical stability Stability	Stable at normal ambient temperatures.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	Stable at normal ambient temperatures. reactions
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	Stable at normal ambient temperatures. reactions
Reactivity <u>10.2. Chemical stability</u> Stability <u>10.3. Possibility of hazardous</u> Possibility of hazardous reactions <u>10.4. Conditions to avoid</u>	Stable at normal ambient temperatures. reactions Not applicable.
Reactivity <u>10.2. Chemical stability</u> Stability <u>10.3. Possibility of hazardous</u> Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid	Stable at normal ambient temperatures. reactions Not applicable.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials	Stable at normal ambient temperatures. reactions Not applicable. Avoid exposure to high temperatures or direct sunlight. No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Reactivity <u>10.2. Chemical stability</u> Stability <u>10.3. Possibility of hazardous</u> Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid <u>10.5. Incompatible materials</u> Materials to avoid	Stable at normal ambient temperatures. reactions Not applicable. Avoid exposure to high temperatures or direct sunlight. No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	Stable at normal ambient temperatures. reactions Not applicable. Avoid exposure to high temperatures or direct sunlight. No specific material or group of materials is likely to react with the product to produce a hazardous situation. n products Does not decompose when used and stored as recommended.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition products	Stable at normal ambient temperatures. reactions Not applicable. Avoid exposure to high temperatures or direct sunlight. No specific material or group of materials is likely to react with the product to produce a hazardous situation. n products Does not decompose when used and stored as recommended. Formation
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition products SECTION 11: Toxicological interval	Stable at normal ambient temperatures. reactions Not applicable. Avoid exposure to high temperatures or direct sunlight. No specific material or group of materials is likely to react with the product to produce a hazardous situation. n products Does not decompose when used and stored as recommended. Formation

6/9

Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.
SECTION 12: Ecological infor	mation
Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	Not considered toxic to fish.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not technically possible for a mixture.
12.4. Mobility in soil	
Mobility	The product is water-soluble and may spread in water systems.
12.5. Results of PBT and vPv	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>
General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.
SECTION 14: Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	<u>e</u>
Not applicable.	

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	GB (UK) CLP and REACH Regulations.

	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) N° 1223/2009 on cosmetic products
Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	12/03/2021
Revision	2
Supersedes date	20/10/2020
SDS number	22334
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.