

SAFETY DATA SHEET

Swarfega Jizer Bio

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Swarfega Jizer Bio

Product number JIB608RS, JIB60K, JIB76R, 692609

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. For full details regarding recommended uses please refer to the product label.

1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

+44 (0) 1773 855100 info.prouk@scj.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Corr. 1C - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Swarfega Jizer Bio

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P501 Dispose of contents/ container in accordance with national regulations.

Contains SODIUM METASILICATE, C9-C11 ALCOHOL ETHOXYLATE (6MEO), REACTION

PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM

HYDROXIDE, DIETHANOLAMINE

Detergent labelling 5 - < 15% non-ionic surfactants, < 5% amphoteric surfactants, < 5% EDTA and salts thereof

Supplementary precautionary P405 Store locked up.

statements

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM METASILICATE 1-10%

CAS number: 6834-92-0 EC number: 229-912-9

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

C9-C11 ALCOHOL ETHOXYLATE (6MEO)

1-10%

CAS number: 68439-46-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

1-10%

CAS number: -EC number: 939-647-7

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Swarfega Jizer Bio

TRIIETHANOLAMINE 1-10%

CAS number: 102-71-6 EC number: 203-049-8

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412

3-C12-14-(EVEN NUMBERED)-ALKYLAMIDO-N,N-

<1%

DIMETHYLPROPAN-1-AMINO OXIDE

CAS number: — EC number: 939-581-9

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

SODIUM HYDROXIDE <1%

CAS number: 1310-73-2 EC number: 215-185-5

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Irritation of nose, throat and airway.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact This product is corrosive.

Swarfega Jizer Bio

Eye contact Corrosive to skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

Does not decompose when used and stored as recommended.

products

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautionsCollect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic

environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upStop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses

with washing down water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsWear appropriate clothing to prevent skin contamination. Avoid contact with skin and eyes.

Avoid spilling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 0°C and 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Swarfega Jizer Bio

Ingredient comments None.

SODIUM METASILICATE (CAS: 6834-92-0)

DNEL Workers - Inhalation; Long term systemic effects: 6.22 mg/m³

Workers - Dermal; Long term systemic effects: 1.49 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.55 mg/m³ General population - Dermal; Long term systemic effects: 0.74 mg/kg/day General population - Oral; Long term systemic effects: 0.74 mg/kg/day

PNEC - Fresh water; 7.5 mg/l

marine water; 1 mg/lSTP; 1000 mg/l

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

DNEL Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day

Professional - Inhalation; Long term systemic effects: 3.8 mg/m³ Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 0.9 mg/m³ Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day

PNEC - STP; 9.9 mg/l

- marine water; 0.0003 mg/l

- Soil; 0.0041 mg/kg

- Intermittent release; 0.042 mg/l

- Fresh water; 0.03 mg/l

Sediment (Marinewater); 0.0108 mg/kgSediment (Freshwater); 0.108 mg/kg

TRIIETHANOLAMINE (CAS: 102-71-6)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m³

Workers - Dermal; Long term systemic effects: 0.13 mg/kg/day General population - Inhalation; Long term local effects: 0.25 mg/m³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.0022 mg/l

marine water; 0.00022 mg/l
Intermittent release; 0.022 mg/l
Sediment (Freshwater); 0.012 mg/kg
Sediment (Marinewater); 0.0012 mg/kg

- Soil; 0.0011 mg/kg

-;

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

Swarfega Jizer Bio

DNEL Consumer - Inhalation; Short term systemic effects: 1.5 mg/m³

Professional - Inhalation; Long term systemic effects: 2.5 mg/m³ Consumer - Inhalation; Long term local effects: 1.5 mg/m³ Professional - Inhalation; Short term systemic effects: 2.8 mg/m³ Professional - Inhalation; Short term local effects: 2.5 mg/m³ Professional - Inhalation; Short term systemic effects: 2.5 mg/m³ Professional - Inhalation; Long term local effects: 2.5 mg/m³

Consumer - Oral; Long term systemic effects: 28 mg/kg/day

STP; 43 mg/lSoil; 0.72 mg/kg

marine water; 0.22 mg/l; Intermittent release 1.2 mg/l

- Fresh water; 2.2 mg/l

3-C12-14-(EVEN NUMBERED)-ALKYLAMIDO-N,N-DIMETHYLPROPAN-1-AMINO OXIDE

DNEL Workers - Inhalation; Long term systemic effects: 3.52 mg/m³

Workers - Dermal; Long term systemic effects: 5 mg/kg/day

Workers - Dermal; Long term local effects: 0.27 %

General population - Inhalation; Long term systemic effects: 0.87 mg/m³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day

General population - Dermal; Long term local effects: 0.27 %

General population - Oral; Long term systemic effects: 0.25 mg/kg/day

PNEC - Fresh water; 30.3 μg/L

- marine water; 3.04 μg/L

- Intermittent release; 3.4 μg/L

- STP; 9.7 mg/l

Sediment (Freshwater); 0.214 mg/kgSediment (Marinewater); 0.021 mg/kg

- Soil; 0.025 µg/kg

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL Industry - Inhalation; Long term local effects: 1 mg/m³

Consumer - Inhalation; Long term local effects: 1 mg/m³

8.2. Exposure controls

PNEC

Protective equipment





Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

Swarfega Jizer Bio

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Wash

promptly if skin becomes contaminated. Promptly remove any clothing that becomes

contaminated.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Green.

Odour Characteristic.

Odour threshold Not determined.

pH Not determined.

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point Not determined.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.045-1.060 @ at 25 deg C°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Scientifically unjustified.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Scientifically unjustified.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

Swarfega Jizer Bio

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Avoid contact with acids and alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 7,142.86

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Swarfega Jizer Bio

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

Toxicological information on ingredients.

SODIUM METASILICATE

Acute toxicity - oral

Notes (oral LD50) LD50 1152 1349 mg/kg bw Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD50 > 5000 mg/kg bw Rat

Acute toxicity - inhalation

Notes (inhalation LC₅o) LC50 > 2.06 mg/L air Rat

Skin corrosion/irritation

Animal data Primary dermal irritation index: 8

C9-C11 ALCOHOL ETHOXYLATE (6MEO)

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rat

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 31,300.0

mg/kg)

Species Rat Rat

ATE oral (mg/kg) 31,300.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 5,000.0

mg/kg)

Species Rat Rat

ATE dermal (mg/kg) 5,000.0

TRIIETHANOLAMINE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 1,100.0

mg/kg)

Species Rat

ATE oral (mg/kg) 500.0

Skin corrosion/irritation

Animal data Erythema/eschar score: Very slight erythema - barely perceptible (1).

Swarfega Jizer Bio

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity The product is not expected to be toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is soluble in water. The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

None known.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. No specific disposal method required. Reuse or recycle

products wherever possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1719

UN No. (IMDG) 1719

UN No. (ICAO) 1719

UN No. (ADN) 1719

14.2. UN proper shipping name

Proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE,

(ADR/RID) SODIUM METASILICATE)

Proper shipping name (IMDG) CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE,

SODIUM METASILICATE)

Proper shipping name (ICAO) CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE,

SODIUM METASILICATE)

Swarfega Jizer Bio

Proper shipping name (ADN) CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C5

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2R

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material.

Swarfega Jizer Bio

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments Revision of information NOTE: Lines within the margin indicate significant changes from the

previous revision.

Revision date 28/02/2022

Revision 8

Supersedes date 09/01/2018

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Notes for Hazard Statements

in Full

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.