

SAFETY DATA SHEET

Swarfega Duck Oil Aerosol

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Swarfega Duck Oil Aerosol Product number SDO500ML, 7118552 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Lubricant. Car maintenance product. 1.3. Details of the supplier of the safety data sheet SC Johnson Professional Ltd Supplier **Denby Hall Way** Denby Derbyshire DE5 8JZ +44 (0) 1773 855100 info.prouk@scj.com 1.4. Emergency telephone number **Emergency telephone** National Poisons Information Service (UK) 0344 8920111 (Health Professionals only) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (EC 1272/2008) Physical hazards Aerosol 1 - H222, H229 Health hazards Not Classified Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H222 Extremely flammable aerosol.
	H229 Pressurised container: may burst if heated.

Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves. P261 Avoid breathing vapour/ spray. P271 Use only outdoors or in a well-ventilated area. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	EUH066 Repeated exposure may cause skin dryness or cracking.
Detergent labelling	≥ 30% aliphatic hydrocarbons, < 5% non-ionic surfactants
Supplementary precautionary statements	P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Hydrocarbons, C11-C14, n-alkan aromatics	es, isoalkanes, cyclics, <2%	30-60%
CAS number: 64742-47-8	EC number: 926-141-6	REACH registration number: 01- 2119456620-43-XXXX
Classification Asp. Tox. 1 - H304		
BUTANE		10-30%
CAS number: 106-97-8	EC number: 203-448-7	REACH registration number: 01- 2119474691-32-XXXX
Classification Flam. Gas 1A - H220		
ISO-BUTANOL		<1%
CAS number: 78-83-1	EC number: 201-148-0	REACH registration number: 01- 2119484609-23-0000
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318 STOT SE 3 - H335, H336		
The full text for all hazard stateme	nts is displayed in Section 16.	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation	Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	
4.2. Most important symptoms	s and effects, both acute and delayed	
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.	
Ingestion	Fumes from the stomach contents may be inhaled resulting in the same symptoms as inhalation.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	Irritation of eyes and mucous membranes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Powder. Dry chemicals. Water spray, fog or mist.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.	
Hazardous combustion products	Oxides of carbon.	
5.3. Advice for firefighters		
Protective actions during firefighting	Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	stective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precautions		
Environmental precautions	Avoid discharge to the aquatic environment. Collect and dispose of spillage as indicated in Section 13.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter confined spaces, due to the risk of explosion. If leakage cannot be stopped, evacuate area.	
6.4. Reference to other sectio	ns	

Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13. See Section 11 for additional information on health hazards.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Keep away from heat, sparks and open flame. Avoid spilling. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Avoid inhalation of vapours.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	s/Personal protection	
8.1. Control parameters Occupational exposure limits BUTANE		
	bur TWA): WEL 600 ppm 1450 mg/m³ minute): WEL 750 ppm 1810 mg/m³	
ISO-BUTANOL		
	bur TWA): WEL 50 ppm 154 mg/m³ minute): WEL 75 ppm 231 mg/m³ imit.	
Ingredient comments	WEL = Workplace Exposure Limits	
	Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64741-88-4)	
DNEL	Workers - Inhalation; Long term local effects: 5.4 mg/m ³ Consumer - Inhalation; Long term local effects: 1.2 mg/m ³	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate general and local exhaust ventilation.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.	
Hand protection	Use protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.	
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.	

Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.	
SECTION 9: Physical and che	emical properties	
9.1. Information on basic phys	sical and chemical properties	
Appearance	Aerosol.	
Colour	Brown.	
Odour	Characteristic.	
Flash point	< -60°C	
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 0.8% Upper flammable/explosive limit: 9.0%	
Solubility(ies)	Insoluble in water	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and re	activity	
10.1. Reactivity		
Reactivity	Vapours may form explosive mixtures with air.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not determined.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents. Strong alkalis. Strong mineral acids.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositi	on products	
Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Inhalation	May cause respiratory system irritation. Vapours may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. Gastrointestinal symptoms, including upset stomach.	
Skin contact	Product has a defatting effect on skin. May cause skin irritation/eczema. Prolonged or repeated exposure may cause severe irritation.	

Eye contact	Irritating to over May cause chemical ave hurns
Eye contact	Irritating to eyes. May cause chemical eye burns.

Route of exposure Inhalation Skin and/or eye contact.

Toxicological information on ingredients.

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD∞ mg/kg)	5,000.0	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	LC50 (8h) >5000mg/m3 rat OECD 403	
Skin corrosion/irritation		
Animal data	Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1).	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Guinea pig: Not sensitising.	
Skin sensitisation		
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. Repeated exposure may cause skin dryness or cracking.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Genome mutation: Negative.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	NOAEC >= 2200/1100 mg/m³, ,	
Reproductive toxicity		
Reproductive toxicity - fertility	- NOAEL 750 mg/kg/day, Oral, Rat F1	
Reproductive toxicity - development	- NOAEL: >= 5220 mg/m³, Inhalation, Rat	
Specific target organ toxicity - single exposure		
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	Based on available data the classification criteria are not met.	
Aspiration hazard		
Aspiration hazard	May be fatal if swallowed and enters airways.	

SECTION 12: Ecological information

Ecotoxicity

Dangerous for the environment if discharged into watercourses.

12.1. Toxicity

Ecological information on ingredients.

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

A	Acute aquatic toxicity		
A	cute toxicity - fis	h LC₅₀, 96 hours: >1000 mg/l, Fish	
	cute toxicity - ac ivertebrates	quatic EC₅₀, 48 hours: >1000 mg/l, Daphnia magna	
	cute toxicity - ac lants	quatic IC₅₀, 72 hours: >1000 mg/l, Algae	
	cute toxicity - nicroorganisms	EL50, 48 hour: >10000 mg/l,	
C	Chronic aquatic toxicity		
	Chronic toxicity - aquatic , 21 days: 1.22 mg/l, Daphnia magna invertebrates		
12.2. Persisten	nce and degrada	ability	
Persistence and degradability The product is expected to be slowly biodegradable. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.			
12.3. Bioaccumulative potential			
Bioaccumulativ	ccumulative potential No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility		The product has poor water-solubility.	
12.5. Results of PBT and vPvB assessment			

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1.	Waste treatment methods	

General informationDo not puncture or incinerate even when empty. Waste is classified as hazardous waste.
Dispose of waste to licensed waste disposal site in accordance with the requirements of the
local Waste Disposal Authority.Disposal methodsEmpty containers must not be punctured or incinerated because of the risk of an explosion.
Dispose of waste to licensed waste disposal site in accordance with the requirements of the
local Waste Disposal Authority.

SECTION 14: Transport information

General	No other information known.
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
14.2. UN proper shipping name	3
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	2.1
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
Transport labels	
14.4. Packing group	
ADR/RID packing group	#
IMDG packing group	#
ICAO packing group	#
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant No.	
14.6. Special precautions for us	ser
EmS	F-D, S-U
Tunnel restriction code	(D)
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory infor	notion

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Povicion commonto	Povision of information NOTE: Lines within the margin indicate significant changes from the

Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	01/11/2021
Revision	9
Supersedes date	19/06/2018
Hazard statements in full	 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.