

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing 31-Oct-2022 Revision Date: 31-Oct-2022 Revision Number 1

Date:

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identifier C-90122100-004\_PGP\_CLPR7\_EUR\_SAW

Product Name Fairy Professional Original

Product Form Mixture
Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useRestricted to professional usersUses advised againstNo information availableMain user categorySU 22 - Professional uses

Product category Hand Dish

Use category PC35 - Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier

Manufacturer

Procter & Gamble UK Brooklands PGP,

Procter & Gamble London Plant

Weybridge, Surrey, KT13 0XP, UK Tel: 01932 896000 Fax: 01932 896200

Hedley Avenue, West Thurrock, Grays, Essex RM20 4AL

Tel: +44 (0)1375 395000

P&G DCE bvba/sprl-Belgium Dist. Div., Temselaan 100, B-1853 Strombeek-Bever, Belgium (IE) 1800 535 119

For further information, please contact

E-mail address customerservice@pgprof.com

1.4. Emergency telephone number

Emergency Telephone

(UK) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497

(IRL) Poisons information: for information or to report a poisoning incident contact The National Poisons Information Centre 01 8092166 (8.00 a.m. to 10.00 p.m. 7 days a week)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label elements



Signal word Danger

#### Hazard statements

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

## Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P280 - Wear eye protection

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes

P501 - Dispose of contents/container to an appropriate local waste system

EUH208 - Contains Methylisothiazolinone May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

**Endocrine Disruptor Information** 

There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

Revision Date: 31-Oct-2022

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	Weight-%	REACH registration number	EC No	Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium Laureth Sulfate	68585-34-2	10 - 20	No data available	-	Acute Tox. 4 (Oral)(H302) Skin Irrit. 2(H315) Eye Dam. 1(H318) Aquatic Chronic 3(H412)	-	-	-
Lauramine Oxide	308062-28-4	5 - 10	01-21194900 61-47		Acute Tox. 4 (Oral)(H302) Skin Irrit. 2(H315) Eye Dam. 1(H318) Aquatic Acute 1(H400) Aquatic Chronic 2(H411)		1	-
Alcohol	64-17-5		01-21194576 10-43		Flam. Liq. 2(H225) Eye Irrit. 2(H319)	Eye Irrit. 2 :: 50%<=C<10 0%	-	-
Methylisothiazolinon e	2682-20-4	<1	01-21207646 90-50	220-239-6	Acute Tox. 3 (Oral)(H301) Acute Tox. 3 (Dermal)(H3 11) Acute Tox. 2	Skin Sens. 1A :: 0.0015%<=C <100%	1	1

(Inhalation:d	
ust,mist)(H3	
30)	
Skin Corr.	
1B(H314)	
Eye Dam.	
1(H318)	
Skin Sens.	
1A(H317)	
Aquatic Acute	
1(H400)	
Aquatic	
Chronic	

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

#### SECTION 4: First aid measures

4.1. Description of first aid measures

Immediate medical attention is required. Show this safety data sheet to the doctor in General advice

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Call a physician if symptoms occur).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

> present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF ON SKIN: Wash with plenty of soap and water. Remove and isolate contaminated

1(H410)

Revision Date: 31-Oct-2022

clothing and shoes. Get medical attention if symptoms occur. Discontinue use of product. Ingestion

IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Self-protection of the first aider

4.2. Most important symptoms and effects, both acute and delayed

Coughing and/ or wheezing. Redness. Swelling of tissue. Itching. Sneezing. Dryness. Pain. **Symptoms** 

Blurred vision. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea. Excessive secretion.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Alcohol resistant foam. Carbon dioxide (CO2).

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the None in particular.

chemical

Skin contact

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision Date: 31-Oct-2022

Use personal protection equipment.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. **Personal precautions** 

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

Scoop absorbed substance into closing containers. **Methods for containment** 

Take up with sand, earth or other non-combustible absorbent material. Use a Methods for cleaning up

non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small quantities of liquid spill:. Large Spills:. contain released substance, pump into suitable containers. This material and its container must be

disposed of in a safe way, and as per local legislation.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Use personal protection equipment. Do not eat, drink or smoke

when using this product.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep/store only in original container. Keep tightly closed in a dry and cool place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure Limits** 

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Alcohol	-	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1907 mg/m <sup>3</sup>		TWA: 1900 mg/m <sup>3</sup>
		STEL 2000 ppm			
		STEL 3800 mg/m <sup>3</sup>			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Alcohol	-	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm	TWA: 500 ppm	TWA: 1000 ppm
		Ceiling: 3000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
				STEL: 1000 ppm	STEL: 1300 ppm
				STEL: 1900 mg/m <sup>3</sup>	STEL: 2500 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany DFG	Greece	Hungary
Alcohol	TWA: 1000 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
	TWA: 1900 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	STEL: 3800 mg/m <sup>3</sup>
	STEL: 5000 ppm		Peak: 800 ppm		
	STEL: 9500 mg/m <sup>3</sup>		Peak: 1520 mg/m <sup>3</sup>		
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania

			*		
Alcohol	STEL: 1000 ppm	-	STEL: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	TWA: 500 ppm
			STEL: 1884 mg/m <sup>3</sup>	_	TWA: 1000 mg/m <sup>3</sup>
					STEL: 1000 ppm
					STEL: 1900 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Alcohol	-	-	TWA: 260 mg/m <sup>3</sup>	TWA: 500 ppm	TWA: 1900 mg/m <sup>3</sup>
			STEL: 1900 mg/m <sup>3</sup>	TWA: 950 mg/m <sup>3</sup>	J
			H*	STEL: 625 ppm	
			1 1	STEL: 1187.5 mg/m <sup>3</sup>	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Alcohol					
Alconoi	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 500 ppm	TWA: 960 mg/m <sup>3</sup>	STEL: 1000 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup>	TWA: 500 ppm	STEL: 1910 mg/m <sup>3</sup>
		STEL: 5000 ppm	Ceiling: 1920 mg/m <sup>3</sup>		
		STEL: 9500 mg/m <sup>3</sup>		STEL: STEL mg/m <sup>3</sup>	
Chemical name	Sweden	Switzerland	United Kingdom	Israel - Occupational	Turkey
				Exposure Limits -	
				TWAs	
Alcohol	NGV: 500 ppm	TWA: 500 ppm	TWA: 1000 ppm	-	-
	NGV: 1000 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup>	TWA: 1920 mg/m <sup>3</sup>		
	Vägledande KGV:	STEL: 1000 ppm	STEL: 3000 ppm		
	1000 ppm	STEL: 1920 mg/m <sup>3</sup>	STEL: 5760 mg/m <sup>3</sup>		
	Vägledande KGV:	0 1 L L 1 1 2 2 0 1 1 1 g/11 1	0122. 0700 mg/m		
	1900 mg/m <sup>3</sup>				
	i 1900 ilig/ili°				

Revision Date: 31-Oct-2022

## Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Long term.

Chemical name	Worker - dermal,	Worker - inhalative,	Worker - dermal,	Worker - inhalative,
	long-term - systemic	long-term - systemic	long-term - local	long-term - local
Sodium Laureth Sulfate	2750 mg/kg bw	175 mg/m <sup>3</sup>	-	-
Lauramine Oxide	11 mg/kg bw/day	6.2 mg/m <sup>3</sup>	-	-
Alcohol	343 mg/kg bw/day	950 mg/m <sup>3</sup>	-	-
Sodium Chloride	295.52 mg/kg bw/day	2068.62 mg/m <sup>3</sup>	-	-
Sodium Hydroxide	-	-	-	1 mg/m³
Phenoxyethanol	20.83 mg/kg bw/day	5.7 mg/m³	-	5.7 mg/m³

Chemical name	Consumer - oral, long-term -	Consumer - inhalative,	Consumer - dermal, long-term
	local	long-term - local	- local
Sodium Hydroxide	-	1 mg/m³	-
Phenoxyethanol	-	2.41 mg/m³	-

Chemical name	Consumer - oral, long-term -	Consumer - inhalative,	Consumer - dermal, long-term
	systemic	long-term - systemic	- systemic
Sodium Laureth Sulfate	15 mg/kg bw	52 mg/m <sup>3</sup>	1650 mg/kg bw
Lauramine Oxide	0.44 mg/kg bw/day	1.53 mg/m³	5.5 mg/kg bw/day
Alcohol	87 mg/kg bw/day	114 mg/m³	206 mg/kg bw/day
Sodium Chloride	126.65 mg/kg bw/day	443.28 mg/m <sup>3</sup>	126.65 mg/kg bw/day
Phenoxyethanol	9.23 mg/kg bw/day	2.41 mg/m³	10.42 mg/kg bw/day

Derived No Effect Level (DNEL) Short term.

Chemical name	Worker - dermal,	Worker - inhalative,	Worker - dermal,	Worker - inhalative,
	short-term - systemic	short-term - systemic	short-term - local	short-term - local
Sodium Chloride	295.52 mg/kg bw/day	2068.62 mg/m <sup>3</sup>	295.52 mg/kg bw/day	-

Chemical name	Consumer - oral, short-term -	Consumer - inhalative,	Consumer - dermal,
	systemic	short-term - systemic	short-term - systemic
Sodium Chloride	126.65 mg/kg bw/day	443.28 mg/m <sup>3</sup>	126.65 mg/kg bw/day

. Totosolonal original

Revision Date: 31-Oct-2022

Phenoxyethanol	9.23 mg/kg bw/day	-	<del>-</del>

## Predicted No Effect Concentration (PNEC)

Chemical name	Fresh Water	Marine water	Intermittent release
Sodium Laureth Sulfate	0.24 mg/l	0.024 mg/l	0.071 mg/l
Lauramine Oxide	0.034 mg/L	0.003 mg/L	0.034 mg/L
Alcohol	0.96 mg/L	0.79 mg/L	2.75 mg/L
Sodium Chloride	5 mg/L	-	19 mg/L
Phenoxyethanol	0.943 mg/L	0.094 mg/L	3.44 mg/L

Chemical name	Freshwater	Marine sediment	Sewage	Soil	Air	Oral
	sediment		treatment plant			
Sodium Laureth Sulfate	5.45 mg/kg dwt	0.545 mg/kg dwt	10000 mg/l	0.946 mg/kg dwt	-	-
Lauramine Oxide	5.24 mg/kg	0.524 mg/kg	24 mg/L	1.02 mg/kg soil	-	-
	sediment dw	sediment dw		dw		
Alcohol	3.6 mg/kg	2.9 mg/kg	580 mg/L	0.63 mg/kg soil	=	-
	sediment dw	sediment dw		dw		
Sodium Chloride	-	-	500 mg/L	4.86 mg/kg soil	-	-
				dw		
Phenoxyethanol	7.237 mg/kg	0.724 mg/kg	36 mg/L	1.31 mg/kg soil	=	-
	sediment dw	sediment dw		dw		

#### 8.2. Exposure controls

**Personal Protective Equipment** 

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Hand protection No special protective equipment required.

**Skin and body protection**No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

**Environmental exposure controls** Prevent that the undiluted product reaches surface waters.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorColoured

Odor Pleasant (perfume)
Odor threshold No information available

Property Values Remarks • Method

Melting point / freezing point No data available Not available. This property is not relevant for the

safety and classification of this product

Initial boiling point and boiling range> 95 °C Flammability

flammability

Not applicable. This property is not relevant for liquid

product forms

Flammability Limit in Air

Not available. This property is not relevant for the

Upper flammability or explosive

limits

No data available

safety and classification of this product

Lower flammability or explosive

limits

No data available

Flash point

> 80 °C

**Autoignition temperature** 

No data available

No Data Available

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Revision Date: 31-Oct-2022

safety and classification of this product

Closed cup

Not available. This property is not relevant for the

safety and classification of this product

**Decomposition temperature** 

8.4 - 9.4

**Dynamic viscosity** 

No Data Available

Soluble in water

Water solubility Solubility(ies)

No Data Available

Partition coefficient

No Data Available

Vapor pressure

No Data Available

Relative density

No Data Available

Relative vapor density

No data available

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes No information available

9.2.2. Other safety characteristics No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

-

Revision Date: 31-Oct-2022

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness.

Numerical measures of toxicity

#### **Acute toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 7,481.90 mg/kg

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Poly(oxy-1,2-ethanediyl),	1999.7 mg/kg bodyweight (rat)	-	-
alpha-sulfo-omega-hydroxy-,			
C10-16-alkyl ethers, sodium			
salts (Acute Tox. 4 Hazard			
Classification)			
Amine oxides,	1064 mg/kg bw (OECD 401)	> 2000 mg/kg bw (OECD 402)	-
C12-14-alkyldimethyl			
Ethanol	10470 mg/kg bw (OECD 401)	-	116.9 - 133.8 mg/L air (OECD
			403)
2-methyl-2H-isothiazol-3-one	120 mg/kg bw	242 mg/kg bw (OECD 402)	0.11 mg/L air (OECD 403)

Chemical name	Carcinogenic ity	Species	Eye Damage	•	Development al toxicity	Species	Mutagenicity	Species
Lauramine Oxide	-	-	Y (OECD 405)	-	-	-	-	-
Alcohol	-	-	Y (OECD 405)	-	-	-	-	-
Sodium Chloride	-	-	Y (OECD 405)	-	-	-	-	-
Sodium Hydroxide	-	-	Y (OECD 405)	-	-	-	-	-
Phenoxyethanol	-	-	Y (OECD 405)	-	-	-	-	-

	Reproductive toxicity		Skin corrosion/irritatio n		Sensitization	Species
Lauramine Oxide	-	-	Y (OECD 404)	-	-	-
Sodium Hydroxide	-	-	Υ	-	-	-

Revision Date: 31-Oct-2022

	Skin sensitizatio		STOT - single	Target Organs	- 1		Target Organs		Aspiration hazard
	n		exposure			exposure			
Phenoxyethanol	-	-	Υ	_	-	-	-	_	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation Risk of serious damage to eyes.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

**Unknown aquatic toxicity**Contains 0.24727 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Amine oxides,	0.266 mg/L (OECD 201;	2.67 mg/L (Pimephales	24 mg/L (Pseudomonas	3.1 mg/L (OECD 202;
C12-14-alkyldimethyl	Pseudokirchneriella	promelas; 96 hr)	putida; 18 h)	Daphnia magna; 48 h)

subcapitata; 72 h) > 1000 mg/L (OECD 209; Ethanol 275 mg/L (OECD 201; 15300 mg/L (US EPA 5012 mg/L (ASTM Chlorella vulgaris; 72 h) Method E03-05; E729-80; Ceriodaphnia 3 h) Pimephales promelas; 96 dubia; 48 h) h) 2-methyl-2H-isothiazol-3-0.206 mg/L (OECD 201; 4.77 mg/L (OECD 203; 2.3 mg/L (Pseudomonas 0.850 mg/L (OECD 202; Pseudokirchneriella Oncorhynchus mykiss; 96 putida; 16 h) Daphnia magna; 48 h) subcapitata; 96 h)

Revision Date: 31-Oct-2022

**Chronic Toxicity** 

Chronic Toxicity					
Chemical name	Toxicity to algae (NOEC or ECx)*	Toxicity to fish (NOEC or ECx)*	Toxicity to daphnia and other aquatic invertebrates (NOEC or ECx)*	Toxicity to Microorganisms (NOEC or ECx)*	Toxicity to other organisms
Lauramine Oxide	0.078 mg/L (OECD 201; Pseudokirchneriella subcapitata; 3 d)	0.42 mg/L (Pimephales promelas; 302 d)		-	-
Alcohol	-	250 mg/L (OECD 212; Danio rerio; 5 d)	2 mg/L (Ceriodaphnia dubia; 10 d)	-	> 79 mg/L (Guideline not indicated; Rana temporaria; static; freshwater; 48 h)
Sodium Chloride	-	252 mg/L (OECD 210; Pimephales promelas; 33 d)	441 mg/L (OECD 211; Daphnia pulex; 21 d)	-	243 mg/kg soil dw (Similar to OECD 208; Poa pratensis; based on growth; 7 d)
Phenoxyethanol	46 mg/L (OECD 201; desmodesmus subspicatus; 3 d)	105.5 mg/L (OECD 210; Pimephales promelas; 34 d)	49.2 mg/L (OECD 211; daphnia magna; 21 d)	-	34 mg/L, (OECD 208, Brassica napus, 19 d)
Methylisothiazolinone	0.05 mg/L (OECD 201 Pseudokirchneriella subcapitata; 5 d)	;2.38 mg/L (OECD 210; Oncorhynchus mykiss; 98 d)	Ŭ (	-	-

12.2. Persistence and degradability

Persistence and degradability

reisisterice and degradability				
Chemical name	Ready Biodegradation	Abiotic Degradation	Abiotic Degradation	Biodegradation Other
	Test (OECD 301)	Hydrolysis	Photolysis	Tests
Amine oxides, C12-14-alkyldimethyl	90% CO2; OECD 301 B; 28	-	-	90% CO2; OECD 301 B; >
- 308062-28-4	d			60% (10 d)
Ethanol - 64-17-5	84% O2; 20 d	< 13148.72 d	17.2 d	83%; 3 d
2-phenoxyethanol - 122-99-6	90% O2; OECD 301 F; 28	> 365 d (OECD 111)	0.491 d (QSAR AOP v192)	98% DOC; 3 d; OECD 301
	d		·	A; > 60% (10 d)

#### 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Alcohol	-0.35
Methylisothiazolinone	-0.26
	-0.34
	-0.28
	>=-0.32 - <=0.7

Chemical name	Octanol/water partition coefficient	Bioconcentration factor (BCF)
Lauramine Oxide	0.95 - 2.69	-
Alcohol	-0.35 ( OECD 107)	< 10
Phenoxyethanol	1.2 (EU Method A.8)	0.349

## 12.4. Mobility in soil

 willing in each	
Chemical name	log Koc
Lauramine Oxide	307
Alcohol	1.585

Phenoxyethanol 40.74
----------------------

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Lauramine Oxide	The substance is not PBT / vPvB
Alcohol	The substance is not PBT / vPvB PBT assessment does
	not apply
Methylisothiazolinone	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available. **Endocrine disrupting properties** 

#### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products

The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. Waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. Empty, uncleaned packaging need the same disposal considerations as filled packaging. For handling waste, see measures described in section 8. Dispose of in accordance with local regulations.

Revision Date: 31-Oct-2022

Contaminated packaging

Do not reuse empty containers.

Waste codes / waste designations

20 01 29\* - detergents containing dangerous substances

according to EWC / AVV

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

A -	
Δ	1 4

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

**IMDG** 

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

14.7 Maritime transport in bulk No information available

according to IMO instruments

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

i lorosolona. Origina.

Revision Date: 31-Oct-2022

Special Provisions None

**ADR** 

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special precautions for user

Special Provisions None

ADN

**14.1 UN number or ID number** Not relevant

14.2

14.3 Transport hazard class(es) No information available

14.4 Packing group Not relevant
14.5 Marine pollutant Not regulated

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Alcohol	RG 84	-

#### Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

## Netherlands

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Alcohol	Present	-	Fertility Category 1A
			Development Category 1A
			Can be harmful via
			breastfeeding

#### **Poland**

Announcement of the Speaker of the Sejm of the Republic of Poland of 13 April 2018 regarding the publication of a uniform text of the Act - Labor Code (Journal of Laws 2018, item 917, as amended). Announcement of the Speaker of the Sejm of the Republic of Poland of March 15, 2019 regarding the publication of a uniform text of the Act on Waste (Journal of Laws 2019 item 701, as amended). Regulation of the Minister of Development of 7 July 2016, repealing the Regulation on specific requirements for certain products due to their negative environmental impact (Journal of Laws of 2016, item 1099, as amended). Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 regarding the highest permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286 with subsequent amendments).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII) Regulation (EC) No. 648/2004 (Detergents regulation) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP] Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

		( - ) -3 ()
Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV

Methylisothiazolinone 75. -

#### **Persistent Organic Pollutants**

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Plant protection products directive (91/414/EEC)

**EU - Biocides** 

CESIO Recommendations The surfactant(s) contained in this preparation complies(comply) with the biodegradability

criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will

Revision Date: 31-Oct-2022

be made available to them, at their direct request or at the request of a detergent

manufacturer.

15.2. Chemical safety assessment

Chemical Safety Report No chemical safety assessment has been carried out for this mixture per REACH regulation.

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Serious eye damage/eye irritation	Expert judgment and weight of evidence determination
Chronic aquatic toxicity	Calculation method

Issuing Date: 31-Oct-2022

Revision Date: 31-Oct-2022

Revision Date: 31-Oct-2022

Further information Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex

٧.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**