

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 04/05/2017 Revision date: 19/08/2021 Supersedes version of: 29/07/2020 Version: 4.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Cleanline Heavy Duty Cleaner & Degreaser Concentrate

UFI : 0CY6-C01Q-D007-CUKC

Product code : CL1001

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Cleaning product

1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

#### 1.3. Details of the supplier of the safety data sheet

SupplierSupplierPrime SourcePrime SourcePO Box 15247Unit D9

Birmingham Horizon Logistics Park

B23 3HN Co. Dublin UK K67 N4T2 Tel: 08085 749312 Ireland

E-mail: info@prime-source.co.uk Tel: +353 (0)1 630 1800

Email: info@prime-source.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1865 407 333

24 hour - Medical Emergency Only

| Country | Organisation/Company                                     | Address                                  | Emergency number   | Comment |
|---------|--|--|--|---------|
| Ireland | National Poisons Information Centre<br>Beaumont Hospital | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda; Alcohols c9-11, ethoxylated

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

| Name   | Product identifier  | %          | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP] |
|--|---|------------|---|
| propylene glycol n-butyl ether                                       | (CAS-No.) 5131-66-8<br>(EC-No.) 225-878-4<br>(EC Index-No.) 603-052-00-8<br>(REACH-no) 01-2119475527-28 | ≥ 1 – < 10 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319                             |
| Alcohols c9-11, ethoxylated  | (CAS-No.) 68439-46-3<br>(EC-No.) 614-482-0<br>(REACH-no) Exempt   | ≥ 1 – < 10 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318                         |
| sodium hydroxide; caustic soda                                       | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6<br>(REACH-no) 01-2119457892-27 | ≥ 1 – < 10 | Skin Corr. 1A, H314   |
| ß-alanine, n-(2-carboxyethyl)-, n-coco alkyl derivs., disodium salts | (CAS-No.) 90170-43-7<br>(EC-No.) 290-476-8<br>(REACH-no) 01-2119976233-35                               | ≥ 1 – < 10 | Eye Irrit. 2, H319  |

| Specific concentration limits: |   |   |
|--------------------------------|---|---|
| Name                           | Product identifier  | Specific concentration limits   |
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6<br>(REACH-no) 01-2119457892-27 | ( 0.5 ≤C < 2) Skin Irrit. 2, H315<br>( 0.5 ≤C < 2) Eye Irrit. 2, H319<br>( 2 ≤C < 5) Skin Corr. 1B, H314<br>( 5 ≤C ≤ 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

19/08/2021 (Version: 4.1) GB - en 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

| sodium hydroxide; caustic soda (1310-73-2)    |                                       |  |
|---|---------------------------------------|--|
| Ireland - Occupational Exposure Limits        |                                       |  |
| Local name                                    | Sodium hydroxide                      |  |
| OEL (15 min ref) (mg/m3)                      | 2 mg/m³                               |  |
| Regulatory reference                          | Chemical Agents Code of Practice 2020 |  |
| United Kingdom - Occupational Exposure Limits |                                       |  |
| Local name                                    | Sodium hydroxide                      |  |
| WEL STEL (mg/m³)                              | 2 mg/m³                               |  |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |  |

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

# Eye protection:

Safety glasses. Use eye protection according to EN 166.

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Not required for normal conditions of use

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Personal protective equipment symbol(s):





#### **Environmental exposure controls:**

Avoid release to the environment

#### Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Blue.Odour: Glycol ether.Odour threshold: No data available

pH : > 11.5

Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point : No data available Freezing point Boiling point : No data available : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available  $\cdot$  102 – 103 Density Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic · No data available Viscosity, dynamic · No data available : No data available Explosive properties : No data available Oxidising properties

#### 9.2. Other information

**Explosive limits** 

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

: No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| propylene glycol n-butyl ether (5131-66-8) |   |
|--|---|
| LD50 oral rat                              | 3300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2800 - 4500 |
| LD50 dermal rat                            | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)                  |

| Alcohols c9-11, ethoxylated (68439-46-3) |  |
|--|--|
| LD50 dermal rat                          | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat                    | > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)      |

Skin corrosion/irritation : Causes severe skin burns.

pH: > 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: > 11.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

| propylene glycol n-butyl ether (5131-6 | 6-8)  |
|--|---|
| LOAEL (oral, rat, 90 days)             | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (oral, rat, 90 days)             | 350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)  |
| NOAEL (dermal, rat/rabbit, 90 days)    | 880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  |

| Alcohols c9-11, ethoxylated (68439-46-3)  |                               |
|---|-------------------------------|
| NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9 |                               |
|   | Day Oral Toxicity in Rodents) |

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| ß-alanine, n-(2-carboxyethyl)-, n-coco alkyl derivs., disodium salts (90170-43-7)   |  |
|---|--|
| LOAEL (oral, rat, 90 days)  160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeat Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |  |
| NOAEL (oral, rat, 90 days)  | 43 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : 1

(acute)

: Not classified

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

| sodium hydroxide; caustic soda (1310-73-2) |  |
|--|--|
| EC50 Daphnia 1                             | 40.4 mg/l Test organisms (species): Ceriodaphnia sp. |

| propylene glycol n-butyl ether (5131-66-8) |   |
|--|---|
| EC50 Daphnia 1                             | > 1000 mg/l Test organisms (species): Daphnia magna   |
| EC50 96h algae (1)                         | > 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

| ß-alanine, n-(2-carboxyethyl)-, n-coco alkyl derivs., disodium salts (90170-43-7) |   |  |
|---|---|--|
| LC50 fish 1   | ≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |  |
| EC50 Daphnia 1  | (daphnia magna)   |  |
| EC50 72h algae (1)  | ≈ 5.5 mg/l Test organisms (species): Chlorella vulgaris                                   |  |
| EC50 72h algae (2)  | ≈ 9.4 mg/l Test organisms (species): Chlorella vulgaris                                   |  |
| NOEC (chronic)  | ≈ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                        |  |

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

European List of Waste (LoW) code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations.

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

20 01 29\* - detergents containing dangerous substances

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

| UN 1760<br>name  | UN 1760   | UN 1760  | UN 1760  |
|--|---|--|--|
| name   | UN 1760   | UN 1760  | LIN 1760   |
|  |   |  | ON 1700  |
|  |   |  |  |
| CORROSIVE LIQUID,<br>N.O.S. (sodium hydroxide;<br>caustic soda)                    | Corrosive liquid, n.o.s.<br>(sodium hydroxide; caustic<br>soda)   | CORROSIVE LIQUID,<br>N.O.S. (sodium hydroxide;<br>caustic soda)  | CORROSIVE LIQUID,<br>N.O.S. (sodium hydroxide;<br>caustic soda)  |
| otion  |   |  |  |
| UN 1760 CORROSIVE<br>LIQUID, N.O.S. (sodium<br>hydroxide; caustic soda), 8,<br>III | UN 1760 Corrosive liquid,<br>n.o.s. (sodium hydroxide;<br>caustic soda), 8, III   | UN 1760 CORROSIVE<br>LIQUID, N.O.S. (sodium<br>hydroxide; caustic soda), 8,<br>III   | UN 1760 CORROSIVE<br>LIQUID, N.O.S. (sodium<br>hydroxide; caustic soda), 8<br>III  |
| ass(es)  |   |  |  |
| 8  | 8   | 8  | 8  |
| 8  | 8   | 8  | 8  |
|  |   |  |  |
| III  | III   | III  | III  |
| ırds   |   |  |  |
| Dangerous for the<br>environment : No<br>Marine pollutant : No                     | Dangerous for the environment : No  | Dangerous for the environment : No   | Dangerous for the environment : No   |
| )<br>  | caustic soda)  tion  UN 1760 CORROSIVE LIQUID, N.O.S. (sodium nydroxide; caustic soda), 8, III  ass(es)  8  Un 1760 CORROSIVE LIQUID, N.O.S. (sodium nydroxide; caustic soda), 8, III  ass(es)  B  Dangerous for the environment: No Marine pollutant: No | caustic soda)  soda)  tion  UN 1760 CORROSIVE LIQUID, N.O.S. (sodium nydroxide; caustic soda), 8, III  ass(es)  8  8  8  III  III  III  III  III  II | caustic soda)  soda)  caustic soda)  tion  UN 1760 CORROSIVE LIQUID, N.O.S. (sodium hydroxide; caustic soda), 8, III  ass(es)  III  III  III  III  III  III  III |

# 14.6. Special precautions for user

# **Overland transport**

Classification code (ADR) : C9 Special provisions (ADR) : 274 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T7 Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : AT

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage) Stowage category (IMDG) : A : SW2 Stowage and handling (IMDG)

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 : 5L PCA max net quantity (IATA) CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L : A3, A803 Special provisions (IATA) ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                      |  |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1          |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2          |  |
| Skin Corr. 1A                       | Skin corrosion/irritation, Category 1, Sub-Category 1A |  |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                  |  |
| H302                                | Harmful if swallowed.                                  |  |
| H314                                | Causes severe skin burns and eye damage.               |  |
| H315                                | Causes skin irritation.                                |  |
| H318                                | Causes serious eye damage.                             |  |
| H319                                | Causes serious eye irritation.                         |  |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.