

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 28/11/2017 Revision date: 21/07/2020 Supersedes version of: 30/08/2018 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code	: Mixture : Cleanline Eco Mild Washing Up Liquid : F5WC-80NA-K004-TGU6 : CL1067 ; CL1068
1.2. Relevant identified uses of the substant	nce or mixture and uses advised against
1.2.1. Relevant identified uses Industrial/Professional use spec Use of the substance/mixture	: For professional use only : Cleaning Product
1.2.2. Uses advised against Restrictions on use	: Anything other than intended use as listed on the label.
1.3. Details of the supplier of the safety da	
Prime Source PO Box 15247 Birmingham B23 3HN UK Tel: 08085 749312 E-mail: info@prime-source.co.uk	
1.4. Emergency telephone number	
-	04005 407 000

Emergency number

: 01865 407 333 24 hour - Medical Emergency Only

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/20	08 [CLP]
Hazard pictograms (CLP) :	GHS07
Signal word (CLP) :	Warning
Contains :	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine; Amides, C8-18(even numbered) and C18(unsatd.), n,n-bis(hydroxyethyl); Sodium C10-13 Alkyl Benzenesulfonate; Sodium C14-16 Olefin Sulfonate
Hazard statements (CLP) :	H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amides, C8-18(even numbered) and C18(unsatd.), n,n-bis(hydroxyethyl)	(EC-No.) 931-329-6 (REACH-no) 01-2119490100-53	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine	(CAS-No.) 121617-08-1 (EC-No.) 939-464-2 (REACH-no) 01-2119971970-28	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Sodium C14-16 Olefin Sulfonate	(EC-No.) 931-534-0 (REACH-no) 01-2119513401-57	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium C10-13 Alkyl Benzenesulfonate	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0 (REACH-no) 01-2119489428-22	≥ 1 – < 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	(CAS-No.) 52-51-7 (EC-No.) 200-143-0 (EC Index-No.) 603-085-00-8	< 1	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Sodium C10-13 Alkyl Benzenesulfonate	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0 (REACH-no) 01-2119489428-22	(65 ≤C < 100) Acute Tox. 4 (Oral), H302

Comments

: Hazard Classification is based on confirmation of specific data from raw material suppliers.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. : Eye irritation.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the subs	tance or mixture	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	ent and emergency procedures	
6.1.2. For emergency responders	Ventilate spillage area. Avoid contact with skin and eyes. Do not attempt to take action without suitable protective equipment. For further information	
6.2. Environmental precautions	refer to section 8: "Exposure controls/personal protection".	
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
5 1	Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.	
Hygiene measures :	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Incompatible products :	Store in a well-ventilated place. Keep cool. Oxidizing agent. Strong bases. Strong acids. Keep only in original container. Store in a closed container.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Eye protection:

Safety glasses. Use eye protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required under normal conditions of use.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odour	: odourless.
Odour threshold	: No data available
pH	: 6 – 10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.01 – 1.02
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: > 500 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

1.1. Information on toxicologic	al effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	≥ 0.588 mg/l air Animal: rat

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine (121617-08-1)	
LD50 oral rat	2925 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Amides, C8-18(even numbered) and C18(unsatd.), n,n-bis(hydroxyethyl)	
LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:Modification of the techniques described in Appraisal of the Safety of Chemicals in Foods, Drugs & Cosmetics, compiled by staff of the Division of Pharmacology, Food and Drug Administration

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)	
LD50 oral rat	1080 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation. pH: 6 – 10
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6 – 10
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Amides, C8-18(even numbered) and C18(unsatd.), n,n-bis(hydroxyethyl)	
LOAEL (dermal, rat/rabbit, 90 days)	50 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	> 750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity in Rodents)

Aspiration hazard

: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Not rapidly degradable

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
EC50 Daphnia 1	1.4 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	0.25 mg/l Test organisms (species): Skeletonema costatum
EC50 72h algae (2)	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine (121617-08-1)	
LC50 fish 1	5.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	18.8 mg/l Test organisms (species): Daphnia magna
EC50 Daphnia 2	10.6 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	52.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h algae (2)	> 56.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Amides, C8-18(even numbered) and C18(unsatd.), n,n-bis(hydroxyethyl)	
LC50 fish 1	2.4 mg/l
EC50 Daphnia 1	3.2 mg/l
EC50 72h algae (1)	3.9 mg/l
LOEC (chronic)	0.24 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.07 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.32 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

Sodium C10-13 Alkyl Benzenesulfonate (68411-30-3)		
LC50 fish 1	1.67 mg/l Test organisms (species): Lepomis macrochirus	
EC50 Daphnia 1	2.9 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	

14.6. Special precautions for user

Overland transport Not regulated Transport by sea Not regulated Air transport Not regulated Inland waterway transport Not regulated Rail transport Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal) Acute toxicity (dermal), Category 4

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Acute 1Hazardous to the aquatic environment — Acute Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Irrit. 2Skin corrosion/irritation, Category 2STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319May cause respiratory irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.		
Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Irrit. 2Skin corrosion/irritation, Category 2STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Irrit. 2Skin corrosion/irritation, Category 2STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Skin Irrit. 2Skin corrosion/irritation, Category 2STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Harmful if swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	Skin Irrit. 2	Skin corrosion/irritation, Category 2
H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.
H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.	H312	Harmful in contact with skin.
H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.
H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.
H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.	H335	May cause respiratory irritation.
	H400	Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.