SAFETY DATA SHEET According to REACH Regulation (EC) No UK REACH Regulations SI 2019/758	1907/2006, as amended by	BUILDING TRUST	Jika *
EVERBUILD Thermofoam Revision Date: 20.01.2022 Date of last issue: 07.07.2021	Version 3.0	Print Date	20.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Produc	t identifier
	110440	

Trade name : EVERBUILD Thermofoam

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Polyurethane foam

1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom
Telephone	:	0113 240 3456
E-mail address	:	everbuild.sds@uk.sika.com

1.4 Emergency telephone number

Emergency telephone num-	: 1	National Chemical Emergency Centre (NCEC)
ber	2	24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or
	breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex-	H335: May cause respiratory irritation.
posure, Category 3, Respiratory system	
Specific target organ toxicity - repeated	H373: May cause damage to organs through pro-
exposure, Category 2	longed or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Country GB 10000031491

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021

Version 3.0



Print Date 20.01.2022

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H222 H229 H315 H317 H319 H334 H335 H351 H373	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure if inhaled.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		Prevention:	Reep out of reach of children.
		P202	Do not handle until all safety precautions
		1 202	have been read and understood.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other igni- tion source.
		P251	Do not pierce or burn, even after use.
		P260 P271	Do not breathe dust or mist. Use only outdoors or in a well-ventilated ar-
			ea.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P340 +	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
		Storage:	
		P405 P410 + P412	Store locked up. Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0



Print Date 20.01.2022

Diphenylmethanediisocyanate, isomeres and oligomerics

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		
1244733-77-4	Acute Tox. 4; H302	>= 10 - < 20
807-935-0		
01-2119486772-26-		
XXXX		
	EC-No. Registration number 1244733-77-4 807-935-0 01-2119486772-26-	EC-No. Registration number 1244733-77-4 807-935-0 01-2119486772-26-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021

Version 3.0

Print Date 20.01.2022

BUILDING TRUST

Diphenylmethanediisocyanate, isomeres and oligomerics	32055-14-4 500-079-6 01-2119457024-46- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 10 - < 20
isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1; H220	>= 5 - < 10
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1; H220	>= 2,5 - < 5
Substances with a workplace expo	osure limit :		
dimethyl ether	115-10-6 204-065-8 01-2119472128-37- XXXX	Flam. Gas 1; H220	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
If inhaled	:	Move to fresh air.
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET According to REACH Regulation (UK REACH Regulations SI 2019/7 EVERBUILD Thermofoam	EC) No 1907/2006, as amended by 1907 /2006, as amended by	
Revision Date: 20.01.2022 Date of last issue: 07.07.2021	Version 3.0	Print Date 20.01.2022
	Keep eye wide open while rinsing. If eye irritation persists, consult a speci	alist.
If swallowed	 Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an un 	5.
4.2 Most important symptoms a	ind effects, both acute and delayed	
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptom ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through exposure if inhaled.	
4.3 Indication of any immediate	medical attention and special treatment r	needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting mea	asures	

5.1 Extinguishing media Suitable extinguishing media Water spray jet Dry powder Foam Carbon dioxide (CO2) Unsuitable extinguishing media High volume water jet 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- ucts	:	Carbon dioxide (CO2) Carbon monoxide
		Nitrogen oxides (NOx)

			lo 1907/2006, as amended by	BUILDING TRUST	Jika *
EVERBUILD Th	nermofoam				
Revision Date: 20	0.01.2022		Version 3.0	Print Date	20.01.2022
Date of last issue	e: 07.07.2021				
			Hydrogen cyanide (hydrocyanic acid) Chlorine compounds		
5.3 Advice for f	irefighters				
Special pro for firefighte		:	In the event of fire, wear self-contained breath	ing apparatus.	
Further info	ormation	:	Use water spray to cool unopened containers.		

If the product contaminates rivers and lakes or drains inform

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.

respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 BUILDING TRUST **EVERBUILD** Thermofoam Revision Date: 20.01.2022 Version 3.0 Print Date 20.01.2022 Date of last issue: 07.07.2021 Hygiene measures Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities BEWARE: Aerosol is pressurized. Keep away from direct sun Requirements for storage areas and containers exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. . age stability

7.3 Specific end use(s)

Specific use(s)

Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC
	Further information: Indicative			
		TWA	400 ppm 766 mg/m3	GB EH40
		STEL	500 ppm 958 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and oligomerics	32055-14-4	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

: Safety glasses with side-shields conforming to EN166

Eye protection

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0



Print Date 20.01.2022

Hand protection :	Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers).			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation, especially in confined areas. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Environmental exposure controls				
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform			

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	aerosol various
Boiling point/boiling range	:	No data available
Flammability	:	Extremely flammable aerosol.
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity		
Viscosity, kinematic	:	Not applicable
Vapour pressure	:	5100 hPa
ountry CB 10000031/01		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0

Print Date 20.01.2022

BUILDING TRUST

Density

: ca. 1,00 g/cm3 (23 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

Materials to avoid	: No da	ata available
--------------------	---------	---------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Reaction products of phosphoryl trichloride and methyloxirane:

Acute oral toxicity	:	LD50 Oral (Rat): > 630 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 7 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
Diphenylmethanediisocyan Acute inhalation toxicity	-	isomeres and oligomerics: LC50: 1,5 mg/l Exposure time: 4 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0

Print Date 20.01.2022

Test atmosphere: dust/mist Method: Expert judgement

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Reaction products of phosphoryl trichloride and methyloxirane:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0

Print Date 20.01.2022

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 82 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
Country CD 10000021401	11/16

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0

Print Date 20.01.2022

	This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
European Waste Catalogue	: 16 05 04* gases in pressure containers (including halons) containing dangerous substances	
	: 08 05 01* waste isocyanates	
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number

	ADR	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	UN proper shipping name		
	ADR	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.3	Transport hazard class(es)		
	ADR	:	2
	IMDG	:	2.1
	ΙΑΤΑ	:	2.1
14.4	Packing group		
	ADR Packing group Classification Code Labels Tunnel restriction code Remarks IMDG Packing group Labels	:	Not assigned by regulation 5F 2.1 (D) Transport according to chapter 3.4 (LQ) possible Not assigned by regulation 2.1
	Lapeis	•	2.1

Country GB 10000031491

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0

Print Date 20.01.2022

BUILDING TRUST

EmS Code Remarks	:	F-D, S-U Transport according to chapter 3.4 (LQ) possible
IATA (Cargo) Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ)	:	Y203
Packing group Labels	:	Not assigned by regulation Flammable Gas
IATA (Passenger) Packing instruction (passen-	:	203
ger aircraft)	-	
Packing instruction (LQ) Packing group	:	Y203 Not assigned by regulation
Labels	:	Flammable Gas

14.5 Environmental hazards

ADR Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	
IATA (Passenger) Environmentally hazardous	:	no	
IATA (Cargo) Environmentally hazardous	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered:
		Diphenylmethanediisocyanate, iso- meres and oligomerics (Number on list 74)
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0



Print Date 20.01.2022

REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable • (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-• Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EC) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals GB Export and import of hazardous chemicals - Prior Not applicable Informed Consent (PIC) Regulation **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3a FLAMMABLE AEROSOLS Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 18,25% w/w Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 18,25% w/w

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation
 Environmental Protection Act 1990 & Subsidiary Regulations
 Health and Safety at Work Act 1974 & Subsidiary Regulations
 Control of Substances Hazardous to Health Regulations
 (COSHH)
 May be subject to the Control of Major Accident Hazards
 Regulations (COMAH), and amendments.

Other regulations:

75/324/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

EVERBUILD Thermofoam

Revision Date: 20.01.2022 Date of last issue: 07.07.2021 Version 3.0



Print Date 20.01.2022

SECTION 16: Other information

Full text of H-Statements

H220 H302 H315 H317 H319 H332 H334 H335 H351 H373		Extremely flammable gas. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abbrevia	ations	
Acute Tox. Carc. Eye Irrit. Flam. Gas Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE 2000/39/EC		Acute toxicity Carcinogenicity Eye irritation Flammable gases Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. Commission Directive 2000/39/EC establishing a first
GB EH40 GB EH40 BAT 2000/39/EC / TWA GB EH40 / TWA GB EH40 / STEL ADR	:	list of indicative occupational exposure limit values UK. EH40 WEL - Workplace Exposure Limits UK. Biological monitoring guidance values Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50 GHS IATA IMDG LD50		Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT	÷	Occupational Exposure Limit Persistent, bioaccumulative and toxic
PBT		Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament

Country GB 10000031491

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Revision Date: 20.01.2022 Date of last issue: 07.07.2021

> SVHC vPvB

Version 3.0

Print Date 20.01.2022

BUILDING TRUST

	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
:	Substances of Very High Concern
:	Very persistent and very bioaccumulative

Further information

Classification of the mixtu	ire:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN

Filename: Directory: Template:	Rehsfil0.WWI P:\Public\Safety\Safety Data Sheets\Suppliers\Incorez (Production) normal
Title:	EHS_L_TEXT(CED-U00
Subject:	
Author:	Mandy
Keywords:	
Comments:	
Creation Date:	20/01/2022 11:46:00
Change Number:	1
Last Saved On:	20/01/2022 11:46:00
Last Saved By:	
Total Editing Time:	0 Minutes
Last Printed On:	
As of Last Complete Pr	inting
Number of Pages:	16
Number of Words:	8,445 (approx.)
Number of Charact	ers: 48,138 (approx.)