

M16 SCRUBB ALL WEATHER SCREENWASH

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Contaminated surfaces will be extremely slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

ETHANOL

M16 SCRUBB ALL WEATHER SCREENWASH

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

No specific eye protection required during normal use.

Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Alcoholic.
pH	pH (diluted solution): 7.0 - 9.0
Relative density	~ 0.97 @ 20°C
Solubility(ies)	Soluble in water.
Explosive properties	Not applicable.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not applicable.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

M16 SCRUBB ALL WEATHER SCREENWASH

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity.

M16 SCRUBB ALL WEATHER SCREENWASH

Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.ETHANOLSkin corrosion/irritation

Summary No data available.

Serious eye damage/irritation

Summary Eye Irritation

Respiratory sensitisation

Summary No data available

Skin sensitisation

Summary No data available

Germ cell mutagenicity

Summary No data is available on this product.

Carcinogenicity

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

Reproductive toxicity

Summary No data is available on this product.

Specific target organ toxicity - single exposure

Summary No data available

Specific target organ toxicity - repeated exposure

Summary No data available

Aspiration hazard

Summary No data available

Acute and chronic health hazards Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

propan-2-olAcute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,840.0

Species Rat

ATE oral (mg/kg) 5,840.0

Acute toxicity - dermal

M16 SCRUBB ALL WEATHER SCREENWASH

Acute toxicity dermal (LD₅₀) 13,120.0 mg/kg)

Species Rabbit

ATE dermal (mg/kg) 13,120.0

Skin corrosion/irritation

Animal data Primary dermal irritation index: 0 Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 14 days, Rabbit Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative.

Genotoxicity - in vivo Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity NOEL 5000 ppm, Inhalation, Mouse

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

SECTION 12: Ecological information

Ecological information on ingredients.

ETHANOL

Ecotoxicity Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

12.1. Toxicity

Toxicity Not considered toxic to fish

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity

Acute toxicity - fish Fathead minnow
(Pimephales promelas)
LC₅₀ = 14200 mg/l/96h

Acute toxicity - aquatic invertebrates EC₅₀ = 9268 mg/L/48h
EC₅₀ = 10800 mg/L/24h

Acute toxicity - aquatic plants EC₅₀ (72h) = 275 mg/l
(Chlorella vulgaris)

propan-2-ol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 10000 mg/l, Pimephales promelas (Fat-head Minnow)

M16 SCRUBB ALL WEATHER SCREENWASH

Acute toxicity - aquatic invertebrates LC₅₀, 24 hours: > 10000 mg/l, Daphnia magna
LC₀, 24 hours: 50000 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

ETHANOL

Persistence and degradability Persistence is unlikely based on information available.

propan-2-ol

Biodegradation Water - Degradation (53%): 5 days
The substance is readily biodegradable.

Biological oxygen demand 1.19 g O₂/g substance

Chemical oxygen demand 2.23 g O₂/g substance

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

ETHANOL

Bioaccumulative potential No information available.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ETHANOL

Mobility Will likely be mobile in the environment due to its volatility.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

propan-2-ol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

M16 SCRUBB ALL WEATHER SCREENWASH

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	The packaging must be empty (drop-free when inverted). Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987
UN No. (ADN)	1987

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ALCOHOLS, N.O.S. (CONTAINS ETHANOL (ETHYL ALCOHOL), propan-2-ol)
Proper shipping name (IMDG)	ALCOHOLS, N.O.S. (CONTAINS ETHANOL (ETHYL ALCOHOL), propan-2-ol)
Proper shipping name (ICAO)	ALCOHOLS, N.O.S. (CONTAINS ETHANOL (ETHYL ALCOHOL), propan-2-ol)
Proper shipping name (ADN)	ALCOHOLS, N.O.S. (CONTAINS ETHANOL (ETHYL ALCOHOL), propan-2-ol)

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

M16 SCRUBB ALL WEATHER SCREENWASH

EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision	1
SDS number	24604
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

DIRECTIONS FOR USE

PRODUCT LOGO