



# 731 EBT

## FLOCK-LINED UNSUPPORTED BIODEGRADABLE NITRILE GAUNTLET

100% biodegradable nitrile mid-forearm gauntlet with Eco Best Technology®. Provides high levels of protection against solvents and acids.

### FEATURES

- › Unsupported nitrile
- › Flock-lined nitrile gauntlet
- › Eco Best Technology® enables the glove to biodegrade once disposed of in landfill
- › High protection against solvents and acids
- › Excellent precision for handling small parts
- › Suitable for use in wet, greasy and oily environments
- › Textured finish on fingers and palm
- › Length: 355mm
- › Thickness: 0.38mm



#### Eco Best Technology

Showa's Eco Best Technology (EBT) is composed of organic material that accelerates the biodegradation of nitrile in biologically active landfills without any sacrifice in performance



Cotton flock-lined

### SUITABLE FOR

#### Typical Industries

- Agriculture
- Chemical
- Manufacturing
- Municipal Services
- Oil and Gas
- Public Sector

#### Suitable Applications

- Cleaning
- Facility Management
- Handling Chemicals
- Janitorial
- Refinery

### CERTIFICATION

CAT III	EN 388:2016	EN ISO 374-1:2016/Type A	EN ISO 374-5:2016	
2777	2001X	JKLOPT		

See overleaf for explanation





# 731 EBT

## PRODUCT INFORMATION

<b>MATERIALS</b>	LINER:	Cotton Flock
	COATING:	Nitrile with SHOWA EBT®
<b>COLOUR</b>	Green	
<b>LENGTH (mm)</b>	355	
<b>CUFF STYLE</b>	Gauntlet	

## ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS	SHO7310	12 pairs per bag 144 pairs per case
7/S	SHO7311	
8/M	SHO7312	
9/L	SHO7313	
10/XL	SHO7314	
11/XXL	SHO7315	


## RECOMMENDATIONS FOR USE

- **USE:** Chemical resistant glove. Not suitable for thermal, electrical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS



### MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



### PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



### FOOD CONTACT DIRECTIVE EC 10/2011



### RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%		
C	Acetonitrile	L	Sulphuric acid 96%	B	≥30 min for at least 3 chemicals
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid	C	≥10 min for at least 1 chemical
F	Toluene	O	25% Ammonium hydroxide		
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofurane	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		

## EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

## MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2021 Globus (Shetland) Ltd | SHO-DATA-731 EBT\_0621\_1