

SAFETY DATA SHEET CLEANLINE ORIGINAL WASHING UP LIQUID 5L

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CLEANLINE ORIGINAL WASHING UP LIQUID 5L	
Product number	800-146-4001	
Internal identification	CL1023	
Container size	4 x 5 litres	
UFI	UFI: 7UEV-9RU4-CJ7W-QPUH	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Detergent.	
Uses advised against	Not for Oral Consumption. Use only for intended applications.	
1.3. Details of the supplier of the safety data sheet		
Supplier	PrimeSource, PO BOX 15247, Birmingham, B23 3HN, Tel: +44 (0) 8085 749 312 PrimeSource, Unit D9, Horizon Logistics Park, Swords, Co.Dublin, K67 N4T2, Ireland - Tel: +353 (0)1 630 1800 info@prime-source.co.uk	
Contact person	For content of safety data sheet:, info@prime-source.co.uk or TEL: – 08085 749312	
1.4. Emergency telephone n		
Emergency telephone	Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY	
National emergency telephon number	ne UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification (SI 2019 No. 720)		

Classification (SI 2019 No. 720)		
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	

Environmental hazards

Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms

Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P102 Keep out of reach of children. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
UFI	UFI: 7UEV-9RU4-CJ7W-QPUH
Contains	C12-14 ALKYL ETHER SULFATES
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3- diol
Supplementary precautionary statements	P101 If medical advice is needed, have product container or label at hand. P103 Read label before use. P391 Collect spillage.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14 ALKYL ETHER SULFATES		.0%
CAS number: 68891-38-3	EC number: 500-234-8	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES <1%		
CAS number: 308062-28-4	EC number: 931-292-6	
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
PHOSPHORIC ACID		<1%
CAS number: 7664-38-2	EC number: 231-633-2	
Classification		
Met. Corr. 1 - H290		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	
M factor (Acute) = 10		
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
The Full Text for all R-Phrases an	d Hazard Statements are Displayed in Section 16.	
SECTION 4: First aid measures		

4.1. Description of first aid measures		
General information	Provide eyewash station.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	

4.2. Most important symptoms and effects, both acute and delayed

4.2. Most important symptoms	and effects, both acute and delayed	
General information	Provide eyewash station.	
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.	
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.	
Skin contact	Prolonged contact may cause redness, irritation and dry skin.	
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.	
5.2. Special hazards arising fr	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	

7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.	
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		

8.1. Control parameters

Occupational exposure limits PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

C12-14 ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day
PNEC	 Fresh water; 0.24 mg/l marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment, Fresh water; 0.917 mg/kg Sediment, marine water; 0.092 mg/kg Soil; 7.5 mg/kg STP; 10,000 mg/l COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC	 Fresh water; 0.007 mg/l marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035 S, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)
<u></u>	
DNEL	Workers - Inhalation; Long term systemic effects: 15.5 mg/m ³ Workers - Dermal; Long term systemic effects: 11 mg/kg/day General population - Inhalation; Long term systemic effects: 3.8 mg/m ³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day
PNEC	 Fresh water; 0.034 mg/l marine water; 0.003 mg/l STP; 24 mg/l Sediment (Freshwater); 5.24 mg/kg Sediment (Marinewater); 0.524 mg/kg Soil; 1.02 mg/kg
	DIETHANOLAMINE (CAS: 111-42-2)
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm ² General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	 Fresh water; 0.02 mg/l marine water; 0.002 mg/l STP; 100 mg/l Sediment (Freshwater); 0.092 mg/kg Sediment (Marinewater); 0.009 mg/kg Soil; 0.007 mg/kg PHOSPHORIC ACID (CAS: 7664-38-2)
	- I USF FIURIU AUID (UAS. 1004-30-2)
DNEL	Workers - Inhalation; Long term systemic effects: 10.7 mg/m ³ Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Inhalation; Short term local effects: 2 mg/m ³ General population - Inhalation; Long term systemic effects: 4.57 mg/m ³ General population - Inhalation; Long term local effects: 0.36 mg/m ³ General population - Oral; Long term systemic effects: 0.1 mg/kg/day

BRONOPOL (INN) (CAS: 52-51-7)

DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ Workers - Inhalation; Long term local effects: 4.2 mg/m ³ Workers - Dermal; Long term systemic effects: 4.2 mg/kg/day Workers - Dermal; Short term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day Workers - Dermal; Long term local effects: 0.013 mg/cm ² Workers - Dermal; Short term local effects: 0.013 mg/cm ² General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term systemic effects: 1.3 mg/m ³ General population - Inhalation; Long term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ²	
PNEC	General population - Oral; Short term systemic effects: 1.1 mg/kg/day - Fresh water; 0.01 mg/l - marine water; 0.008 mg/l - Intermittent release; 0.0025 mg/l - STP; 0.43 mg/l - Sediment (Freshwater); 0.041 mg/kg - Sediment (Marinewater); 0.00328 mg/kg - Soil; 0.5 mg/kg	
8.2. Exposure controls Protective equipment		
Appropriate engineering controls	Provide adequate ventilation.	
Personal protection	This datasheet is not a Risk/COSHH assessment. Data given here should be used as part of a risk assessment. Data supplied here relates to the product as supplied, not in use solutions, these will have a lower classification. This product is not classified for skin irritation or corrosion, but the use of gloves for extended use is recommended.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.	
Hand protection	Although normal "in - use" dilutions of this product are unclassified, the use of gloves is recommended as good hygiene practice.	
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.	
Respiratory protection	Respiratory protection not required.	

Environmental exposure	Avoid releasing into the environment.
controls	

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Green.	
Odour	Unperfumed.	
Odour threshold	Not applicable.	
рН	pH (concentrated solution): 7.5	
Melting point	Not applicable.	
Initial boiling point and range	90 - 105 Degrees C.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Evaporation factor	Not applicable.	
Flammability (solid, gas)	Not flammable. This product does not sustain combustion.	
Upper/lower flammability or explosive limits	Product is not considered to be flammable nor explosive	
Other flammability	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	1.015 @ 20°C	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not technically possible for a mixture.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	No information available.	
Explosive properties	Not considered to be explosive.	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		

Reactivity

Under normal storage conditions this product is stable.

10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	No known hazardous decomposition products.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD∞)	Calculation method. Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes eye irritation. Calculation method.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure

STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	This product has low toxicity.
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.
Eye contact	Irritating to eyes. Severe irritation, burning, tearing and blurred vision.

11.2 Information on other hazards

11.2.1. Endocrine disrupting
propertiesThis product is not classified as, nor contains substances classed as having endocrine
disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).**11.2.2 Other information**None known

Toxicological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	4,100.0	
Species	Rat	
ATE oral (mg/kg)	4,100.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD∞ mg/kg)	2,001.0	
Species	Rat	
ATE dermal (mg/kg)	2,001.0	
		COCONUT DIETHANOLAMIDE
Acute toxicity - oral		COCONUT DIETHANOLAMIDE
<u>Acute toxicity - oral</u> Acute toxicity oral (LD₅₀ mg/kg)	2,001.0	COCONUT DIETHANOLAMIDE
Acute toxicity oral (LD ₅₀	2,001.0 Rat	COCONUT DIETHANOLAMIDE
Acute toxicity oral (LD₅₀ mg/kg)		COCONUT DIETHANOLAMIDE
Acute toxicity oral (LD₅₀ mg/kg) Species	Rat	COCONUT DIETHANOLAMIDE
Acute toxicity oral (LD₅o mg/kg) Species ATE oral (mg/kg)	Rat 2,001.0	COCONUT DIETHANOLAMIDE
Acute toxicity oral (LD ₅₀ mg/kg) Species ATE oral (mg/kg) <u>Acute toxicity - dermal</u> Acute toxicity dermal (LD ₅₀	Rat 2,001.0	COCONUT DIETHANOLAMIDE

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	1,064.0
	Species	Rat
	ATE oral (mg/kg)	1,064.0
	Acute toxicity - dermal	
	Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1
	Species	Rat
	ATE dermal (mg/kg)	2,000.1
	Skin corrosion/irritation	
	Skin corrosion/irritation	Irritating to skin.
	Serious eye damage/irritatio	on
	Serious eye damage/irritation	Causes serious eye irritation.
	Skin sensitisation	
	Skin sensitisation	Not sensitising.
	Carcinogenicity	
	Carcinogenicity	Based on available data the classification criteria are not met.
SECTION 1	2: Ecological information	
SECTION 1 Ecotoxicity	Harmful t	to aquatic life with long lasting effects. Note: Comment refers to the neat product. use solutions are not classified as environmentally harmful.
	Harmful f Normal u	
Ecotoxicity	Harmful f Normal u	
Ecotoxicity 12.1. Toxicit Toxicity	Harmful f Normal u	se solutions are not classified as environmentally harmful.
Ecotoxicity 12.1. Toxicit Toxicity	Harmful f Normal u The prod	se solutions are not classified as environmentally harmful.
Ecotoxicity 12.1. Toxicit Toxicity	Harmful f Normal u The prod	use solutions are not classified as environmentally harmful. luct contains a substance which is harmful to aquatic organisms.
Ecotoxicity 12.1. Toxicit Toxicity	Harmful f Normal u The prod	use solutions are not classified as environmentally harmful. luct contains a substance which is harmful to aquatic organisms.
Ecotoxicity 12.1. Toxicit Toxicity	Harmful f Normal u The prod nformation on ingredients. <u>Acute aquatic toxicity</u>	use solutions are not classified as environmentally harmful. luct contains a substance which is harmful to aquatic organisms. <u>C12-14 ALKYL ETHER SULFATES</u> LC ₅₀ , 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)
Ecotoxicity 12.1. Toxicit Toxicity	Harmful t Normal u The prod <u>nformation on ingredients.</u> <u>Acute aquatic toxicity</u> Acute toxicity - fish Acute toxicity - aquatic	use solutions are not classified as environmentally harmful. luct contains a substance which is harmful to aquatic organisms. <u>C12-14 ALKYL ETHER SULFATES</u> LC ₅₀ , 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information. EC ₅₀ , 48 hours: 7.2 mg/l, Daphnia magna
Ecotoxicity 12.1. Toxicit Toxicity	Harmful to Normal u The prod nformation on ingredients. <u>Acute aquatic toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates	use solutions are not classified as environmentally harmful. luct contains a substance which is harmful to aquatic organisms. <u>C12-14 ALKYL ETHER SULFATES</u> LC ₅₀ , 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information. EC ₅₀ , 48 hours: 7.2 mg/l, Daphnia magna REACH dossier information.
Ecotoxicity 12.1. Toxicit Toxicity	Harmful to Normal u The prod nformation on ingredients. <u>Acute aquatic toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>Chronic aquatic toxicity</u> Chronic toxicity - fish early	Isse solutions are not classified as environmentally harmful. Iuct contains a substance which is harmful to aquatic organisms. <u>C12-14 ALKYL ETHER SULFATES</u> LC ₅₀ , 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information. EC ₅₀ , 48 hours: 7.2 mg/l, Daphnia magna REACH dossier information. NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)

COCONUT DIETHANOLAMIDE

	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 2.4 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 3.2 mg/l, Daphnia magna
		AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES
	Toxicity	Very toxic to aquatic organisms. Supplier's information.
	Acute aquatic toxicity	
	LE(C)₅₀	$0.1 < L(E)C50 \le 1$
	M factor (Acute)	1
	Acute toxicity - fish	LC₅₀, 96 hours: 2.67 mg/l, Freshwater fish Supplier's information.
	Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 3.1 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	Supplier's information. EC₅o, 72 hours: 0.146 mg/l, Freshwater algae
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	Supplier's information. NOEC, 302 days: 0.42 mg/l, Freshwater fish
	Chronic toxicity - aquatic invertebrates	Supplier's information. NOEC, 21 days: 0.7 mg/l, Daphnia magna
12.2. Persis	tence and degradability	
Persistence		actant(s) contained in this product complies(comply) with the biodegradability criteria lown in The Detergents Regulations (as amended).
Ecological i	nformation on ingredients.	
		C12-14 ALKYL ETHER SULFATES
	Biodegradation	Expected to be readily biodegradable. Water - Degradation 100%: 28 days REACH dossier information.
		AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES
	Biodegradation	The substance is readily biodegradable.
12.3. Bioaco	cumulative potential	
Bioaccumul	ative potential No data	available on bioaccumulation.
Partition co	efficient Not tech	nically possible for a mixture.
Ecological i	nformation on ingredients.	
		C12-14 ALKYL ETHER SULFATES
	Bioaccumulative potential	The product is not bioaccumulating.
	Dortition coofficient	log Down - 0.2 DEACH doppior information

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Bioaccumulative potential No information available.

12.4. Mobility in soil

Mobility

The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

is soluble in water.
34 @ °F

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Endocrine disrupting properties

Endocrine disruptingThis product is not classified as, nor contains substances classed as having endocrinepropertiesdisrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Results of PBT and vPvB	This substance is not classified as PBT or vPvB according to current UK criteria.
assessment	

12.7. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

 Other adverse effects
 Not determined.

 SECTION 13: Disposal considerations

 13.1. Waste treatment methods

 General information
 Do not discharge into drains or watercourses or onto the ground.

 Disposal methods
 Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	

	· · · ·
National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). EH40/2005 Workplace exposure limits.
	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
	The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
	 The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended) European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended) European Regulation (EC) No 648/2004 on detergents (as amended) European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended

Guidance

Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.
Revision date	11/08/2023
Revision	8
Supersedes date	02/11/2022
SDS number	20499
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.